

Radiation Protection & Accessories



APRON RACKS



PEG RACK

Quick and easy storage for 1 or 4 aprons. Manufactured of aircraft quality high tensile aluminum so our rack doesn't outweigh the aprons.

- 60073 1 apron – 8" wide
- 60081 4 apron – 20" wide (shown)



FIVE APRON RACK

Arms fold flush against the wall and are available in right and left folding models. Dimensions folded – 28"W x 4 1/8"D, arms 90° to wall- 26"D, overall height – 9". 15 lb. Arm length- 27 1/2"

- 66685 Left
- 66690 Right



COMPACT RACK

Wall-hugging storage for two aprons and a pair of gloves. 18"W x 19 1/2"H x 6 1/2"D


60098



APRON RACK

Designed to hold one apron and a pair of gloves in a minimum amount of space. Ideal for Surgical Drop-Off Apron which should be draped for storage. 27"W x 7"H

60195



APRON VALET RACK

This valet holds up to 300 lbs of aprons. It is constructed of sturdy painted metal and features wheels that can lock in place. Five hangers are included with each unit. Additional hangers can be purchased separately.

The valet measures 54" high, 35" wide and 24" deep.
Color: Almond.

- 69380 Apron Valet with 5 hangers
- 69385 Hangers for the Apron Valet (set of 5)



HANGER

Our aluminum hanger will hold the heaviest apron. 1 lb.


60999



TUBULAR RACK

Convenient storage for an apron and a pair of gloves.
27 1/2"W x 16"H x 9 1/2"D

60065



SPIDER RACK

Mobile storage for eight aprons on a cast aluminum five leg star-shape base with nylon casters. Available with glove holders.

- 60112 Spider Rack only
- 60116 Spider Rack with glove holder

PROTECTIVE EYEWEAR

GREAT PRICES!

PRESCRIPTION GLASSES AVAILABLE!



**YOU CAN LOOK YOUR
DOGGONE BEST WHILE
PROTECTING YOUR EYES**

WRAP AROUND FRAME



The wrap around frame is constructed of durable nylon and exhibits superior flexibility while minimizing potential breakage. Design is extremely popular and provides maximum comfort while providing excellent peripheral vision with the leaded glass side shields. A full saddle bridge distributes the weight evenly over the nose. Wt. 80g. (2.8oz.)

69650 Non - Rx

ASTRO-FLEX WITH SIDE SHIELDS



*Shown with non-radiation protective side shields

A panoramic goggle constructed of impact resistant propionate. Front frame has molded side shielding and is fitted to the brow for increased protection. Temple length and frame angle is adjustable for a custom fit. Wt. 75g. (2.6oz.)

67852 Non - Rx



61499

NEW!



65399

ULTRA Pb

Comes in 4 colors: Silver, Black, Cobalt Blue and Maroon. Available with extended nose pads for smaller bridge sizes. UltraLite Pb lenses 0.75Pb. UltraClear Anti-Reflective coating. Non-Rx Only. Extended wrap around lenses, eliminating side shields. Extra side shielding on front frame body available 0.5Pb. Weight 51 grams. UltraSoft Flex-Temples for maximum comfort and fit.

The wrap around body utilizes a larger contoured lens, which eliminates the necessity for sideshields in most cases. Non-prescription eyewear automatically comes with an anti-reflective coat.

61499 Non - Rx

65399 Non - Rx with nose pads

Please specify color when ordering.

METALITE



Constructed of optical steel base metal with bronze or gold electroplate. Comes with custom fitted lead side shields that create a seal to the front lenses for increased scatter radiation protection. Includes adjustable non-slip silicon nose pads for maximum comfort. Weight: 52 grams (1.8 oz.)

62876 Bronze - Non Rx
64753 Gold - Non Rx

EURO WITH SIDE SHIELDS



Nylon frame with large molded shielding temples. Wt. 76g. (2.6 oz.)

60100 Non - Rx

NANOLITE ULTRA



A new modern alternative to protective eyewear! The NanoLite is available in 2 colors; silver or black. The .75mm lead equivalent anti-reflective coated lenses are extended, eliminating the need for side shields. They feature uni-soft flex temples. Wt. 58g. (2.05 oz.)

64937 Silver - Non Rx
68258 Black - Non Rx



PANORAMA SHIELD – 400 SERIES

The 400PSM Panorama Shield consists of a Face Formed Radiation Protective Lead Impregnated Acrylic Shield that is suspended from a dual adjustable headpiece. The acrylic shield can be positioned at any angle to the face so as to minimize scatter radiation from passing under the shield by side adjustable dials. The headgear is adjustable in two positions. An adjustable headband that saddles the crown of the head while connecting at a 90° angle to an adjustable headband that surrounds the head circumference from brow to back. The circumference portion of the headband has an adjustable dial in the rear to increase or decrease the hat size for a comfortable, snug fit. Wipe clean with a soft cloth. Abrasive materials may scratch front lens. Cannot be sterilized with high temperatures or high pressure.

Weight: 350 grams; Protection: .10mm Leaded Acrylic; Material: Acrylic/Nylon

68528



PANORAMA SHIELD – 450 SERIES

The 450FPM Panorama Mask consists of a Face Formed Radiation Protective Lead Impregnated Acrylic Shield that is suspended from an adjustable headpiece. The stationary acrylic shield extends from a headpiece brow connector for a length of 8 inches from top to bottom in front of the entire face. A support strap saddles the crown of the head while connecting at a 90° angle to an adjustable headband that surrounds the head circumference from brow to back. The circumference portion of the headband has an adjustable strap in the rear to increase or decrease the hat size for a comfortable, snug fit. Wipe clean with a soft cloth. Abrasive materials may scratch front lens. Cannot be sterilized with high temperatures or high pressure.

Weight: 395 grams; Protection: .10mm Leaded Acrylic; Material: Acrylic/Nylon

69639



FULL PROTECTIVE MASK – 500 SERIES

The 500FPM Full Protective Mask consists of a Radiation Protective Lead Impregnated Acrylic Shield that is suspended from an adjustable headpiece. The stationary acrylic shield extends from a headpiece brow connector for a length of 7 inches from top to bottom in front of the entire face. A support strap saddles the crown of the head while connecting at a 90° angle to an adjustable headband that surrounds the head circumference from brow to back. The circumference portion of the headband has a Velcro adjustable strap in the rear to increase or decrease the hat size for a comfortable, snug fit. Wipe clean with a soft cloth. Abrasive materials may scratch front lens. Cannot be sterilized with high temperatures or high pressure.

Weight: 900 grams; Protection: 0.35mm Leaded Acrylic; Material: Acrylic/Nylon

61234

GLOVES



GLOVES

One piece molded design with a soft urethane exterior. Covers remove easily to inspect the protective qualities of the leaded core. All models feature a breathable nylon liner for comfort. Navy blue vinyl. 0.5mm protection. 6 lb./pair

- 69303 15" pair
- 69304 15" left only
- 69305 15" right only



MOLDED GLOVES

Seamless lead vinyl gloves available in three sizes. These gloves have no soft exterior or interior, but are an economical choice. Completely washable — can be rinsed inside and out. 0.5mm lead equivalent.

- 69360 Large
- 69359 Medium
- 69358 Small



RADIATION ATTENUATING SURGICAL GLOVES

Developed with the physician in mind, these radiation-attenuating gloves offer the best protection with the greatest dexterity, sensitivity and comfort compared to similar products. Ideal for Radiology, Cath/Electro Physiology, Orthopedic Surgery, Endoscopy, Urology, and Pain Management. Ideal for all high exposure procedures where sensitivity and protection are essential. Color – brown. May be resterilized with ethylene oxide or steam up to three times before disposal. Sizes 6-9 including 1/2 sizes.

- 67100 0.300mm thickness (specify size)
- 67346 0.220mm thickness (specify size)

Features:

- Thin fingertips provide enhanced tactile sensitivity
- Soft powder-free finish creates a smooth interior which reduces skin irritation
- Anatomically correct curved fingers reduce hand fatigue
- Sizes range from 6-9 in half sizes for a better fit
- Attenuates up to 30% more direct beam radiation than other leading products
- Available in 0.300mm (0.012") and 0.220mm (0.0088") finger tip thickness
- 12" length

ATTENUATION — RADIATION REDUCTION %				
60 kVp	80 kVp	100 kVp	120 kVp	THICKNESS
43%	35%	26%	23%	0.088"-0.2200mm
55%	43%	35%	31%	0.012"- 0.300mm



MODULAR SHELVING



Contemporary design for 14" x 17" film that grows with your needs. Quick, simple assembly without tools. Optional doors available in 4 colors. Three dividers included with each shelf.

30 1/8"W x 21 7/8"H x 19 7/8"D

- 64000 Starter unit (50 lbs.)
- 64025 Add-on unit (30 lbs.)
- 64030 Pair of doors
- 64045 Door lock
- 64035 Additional dividers



OPTIONAL DOORS AVAILABLE IN BEIGE, RED, BLUE OR GREEN.



STACKABLES

Factory assembled and stackable up to 5 units high. Holds 14" x 17" film. Flat bottom. Stackable, Putty color. Base color black. Height -17 3/8"; Depth -19 3/4"

- 60419 29" wide (42 lbs.)
- 60445 36" wide (45 lbs.)
- 60422 Base for 29", 5"H — 15 lbs.
- 60450 Base for 36", 5"H — 17 lbs.



67622



SHELVING Motor Freight

Factory assembled. Flat bottom, no legs to dig into floor. All steel shelving provides storage for hundreds of films in a few square feet of floor area. Ships by truck.

- 65743 5 Shelf 24" x 18" x 84" (2 dividers) 132 lbs.
- 67622 5 Shelf 36" x 18" x 84" (3 dividers) 168 lbs.
- 66523 5 Shelf 48" x 18" x 84" (4 dividers) 205 lbs.
- 65245 4 Shelf 36" x 18" x 68" (3 dividers) 135 lbs.



SLENDER TIER CART

This two tier cart is designed for cassettes, folders, caddies and film. Two dividers on each rubber mat lined shelf. Two swivel casters, two non-swivel casters.
120 lbs. 25" x 20" x 41"

62865



TALL CASSETTE CART

Will accommodate cassettes, folders or film. Top surface is vinyl covered. Rubber mats in all compartments reduce damage and deaden sound. Padded handles. Six 8"W compartments. Four swivel casters.
120 lbs. 25" x 20" x 50"H

67942

*All items on
this page
ship via:*



Motor Freight



SHORT READING CART

Same features as our 63596 (film/cassette) except low profile design allows for use while seated at film reading station. Collapsible handle parks out of the way. Two swivel and two non-swivel casters.
55 lbs. 25"L x 17"W x 28"H

65489



CASSETTE/FILM CART

Ideal for file room or control room organization. Six 6" wide compartments on top shelf and four 9" wide compartments on bottom. Lower shelf will hold 14" x 17" cassettes. Padded handle. Two swivel and two non-swivel casters. 125 lbs. 37"L x 19"D x 40"H

61827

Also available:



61829



FILM/CASSETTE CART

Two top loading, 8"W x 24"L x 14"H compartments complete with rubber mat liner, corner bumpers protect walls and furniture. Padded handle. Two swivel casters, two non-swivel casters.
55 lbs. 25"L x 17"W x 38"H

63596



SPACE SAVER

Steel construction with five compartments will hold up to 14" x 17" film. Design minimizes floor space. Elevators are included which can be used to arrange compartments to suit smaller film boxes. Convenient open storage area at bottom. 18 3/8"W x 33"H x 11 3/8"D

- 63118 Space saver bin (60 lbs.)
- 63148 3 1/2" base option
- 68011 Light interlock, installed



STANDARD

Steel construction and slightly larger than the Space Saver. Choose 5 or 6 compartment formats. Elevators are included which can be used to arrange compartments to suit smaller film boxes. 21 1/8"W x 33"H x 12 5/8"D

- 68118 Standard 6-compartment bin (69 lbs.)
- 60118 Standard 5-compartment bin (65 lbs.)
- 60127 3 1/2" Base option
- 68878 Lead-lined 1/32"
- 68011 Light interlock, installed



All items on this page ship via:



BIN DOOR ALARM

No more ruined film. Battery-operated bin alarm installs in seconds without tools. Continuously sounds a tone while bin door is open. Functional only with 60118, 68118 and 63118 models. **9V Battery not included.**

60660

COUNTER TOP BIN

Steel construction designed for smaller areas or low capacity requirements. Can be placed on the counter, or floor. 54 lbs.


- 63160 Capacity: 4 boxes 14" x 17", 10 5/8"W x 20 1/2"H x 19"D



WALL MOUNTED BIN

Steel construction with auto-closing gas piston door to prevent accidental exposure. Three compartments. Can sit on a counter top or be wall mounted.

- 60145 Wall bin — 14" x 17" film, 15 1/2"W x 20"D x 10"H, 45 lbs.
- 60147 Mammo wall bin — 24 cm x 30 cm, 10" x 12" film, 12 3/4"W x 13"D x 9 3/4"H, 31 lbs.



PLASTIC FILM SAFE

Economical storage for up to 200 sheets of film. Available for three film sizes.

- 60160 8" x 10"
- 60162 10" x 12", 18"L x 13 1/4"W x 3 3/4"H
- 60164 14" x 17", 23"L x 19"W x 3 3/4"H

BRITE SPOTS, ID PRINTERS & SAFELITES


ID PRINTER

Automatic

One time exposure adjustment to suit processing variations. Will supply sharp images of patient information from ID card. Glow light indicates exposure is being made. Easy adjustment for Kodak type window cassette ID card. (Cards not included)

5 lbs., 8 3/4" x 8 3/4" x 2 1/2"H

65280 110 Vac
67143 220 Vac



Manual

Simple operation. Insert film and ID card, hold down exposure plate and release when light goes on. Light intensity is adjustable. Easy adjustment for Kodak type window cassette ID card. (Cards not included) 5 lbs.

63295 110 Vac

BRITE SPOT

Two models to choose from. Deluxe model features metal housing, bulb, rheostat foot switch, interior reflector and fixed iris. Economy model features a plastic housing with rheostat foot switch and bulb. 110 Vac



69495 Deluxe (left)
64444 Economy (right)

ECONOTANK®

Constructed of type 316 stainless steel, this system may be configured in different ways to suit individual requirements. Standpipe drain system allows continuous water flow during processing to maintain solution temperature, provide more complete washing, as well as easy draining when changing solutions. Plastic plumbing connections prevent rust. 50 lbs. 20 1/4"W x 36"H x 16 1/2"D

60600 Includes two 5 gal. inserts, plumbing & stand
60672 Stand only
61955 PVC standpipe, drain & inlet assembly

OPTIONS


Covers reduce evaporation and fumes.

62101 5 gal. insert cover
60279 Flush cover

Stand
Included



SAFELITE



Floods darkroom with safe workable light. Can be used on table top, mounted on wall or hung from ceiling. Complete with 7.5W bulb, 6' cord, on/off switch, red filter.

69645 10" x 12"
69648 5" x 7"

OMNI-DIRECTIONAL

Unique design emits safe light in all directions. Includes 7.5W bulb, on/off line switch, red filter.



69875 5" x 7"

Note: Safelites must be minimum of 4' from film or work surface.



FLUORESCENT SAFELITE

Ceiling or wall mountable fixture is equipped with pull chain switch, outside mounting brackets, six-foot power cord and installation kit. For blue/green sensitive films. Red filter is removable for bulb replacement. Available in 15 W and 20 W models.

63578 15W 18"
63580 20W 24"



SCREW-IN SAFELITE

Parabolic shape with red filter for even illumination. Requires 7.5W bulb (not included.)


65825



ILLUMINATED SIGNS

Highly visible signs assure unnecessary exposure to staff and patients. Red lettering on white background. Requires wiring into electrical box. 3 lbs. Overall dimensions: 7 1/2"H x 10 1/2"W x 2"D

- | | | | |
|--------------|-----------------|--------------|------------|
| 69843 | X-Ray In Use | 69845 | CT In Use |
| 69844 | Darkroom In Use | 69846 | MRI In Use |



PREGNANCY WARNING SIGN

- | | |
|--------------|----------------------------|
| 61285 | English — 8" x 10" plastic |
| 61954 | Spanish — 8" x 10" plastic |

HEAVY DUTY LIGHTPROOF FILM CASE

Manufactured of high impact plastic with cushion lining. 6 lbs.

17 7/16" x 14 3/8" x 2"
Capacity 1 box/100 films


60634



EAR PLUGS

Box of 200 individually packaged pairs. Perfect for MRI.

66430



ARM SUPPORT

This unique device slips under mattress and patient to hold his/her arms along side while in a prone or supine position. Excellent for use during specials, catheterization and nuclear medicine studies.

Clear plastic provides a view of the patient at all times and eliminates the use of adhesive tape, sand bags or straps that obstruct access to the patient.

Sold in pairs — 4 lbs. (11 3/4"L x 12"W)

69210 Clear Arm Support, 1 pair



PATIENT CALIPER

Made of lightweight aluminum with adjustment slide. No screws to lose. 2 lbs.

67046




RADIATION WARNING SIGN

This adhesive backed, brightly colored mylar sign warns of radiation hazard. 7"W x 9 1/2"L

60966

LEAD VINYL, BLOCKERS & CURTAINS

LEADX® LEAD VINYL



LeadX® is a flexible protective material available in two lead equivalents for use where radiation protection is desired or for adding protection. Smooth, non-absorbent vinyl surface is easily cleaned. Available in 24" and 48" widths.

CAT. NO.	SIZE	CAT. NO.	SIZE
60003	0.5mm (24" x 24")	60111	1.0mm (24" x 24")
60851	0.5mm (24" x 36")	61640	1.0mm (24" x 36")
60017	0.5mm (24" x 48")	60180	1.0mm (24" x 48")
60915	0.5mm (36" x 48")	62270	1.0mm (36" x 48")
60072	0.5mm (48" x 48")	60595	1.0mm (48" x 48")
60967	0.5mm (larger than 48" x 48")	61111	1.0mm (larger than 48" x 48")

LEADX® CURTAIN

Ideal for areas where secondary or low-level radiation is present yet access is required. Complete with track and trolleys. Hardware not included.

Doorway Curtains

Up to 2' x 7' Up to 4' x 7'

0.5mm	62307	68218
1.0mm	64251	67444

Advise inside jamb or face of wall mounting.



Room Divider Curtains

To calculate proper size add 10% to width for adequate fullness. Manufactured in 24 and 48" increments. Call for exact details. Curtains are sold by the square foot and include track and trolleys.

- 61938 0.5mm lead equivalent
(1/16" thick, 1 1/2 lb./ft.²)
- 61939 1.0mm lead equivalent
(1/8" thick, 3 lb./ft.²)

BLOCKER

Durable, flexible 0.5mm lead vinyl.

60618	4" x 10"	60621	6" x 10"
60619	5" x 8"	60623	7" x 11"
60620	5" x 12"	60624	7" x 17"
60622	5 1/2" x 14"	60625	8 1/2" x 14"





FILM RACK

Wall mounted steel units will accommodate film caddies, film jackets and cassettes. Smoked plexiglass front panels. Openings are 22"W x 14"H x 5"D.

- | | | | |
|--------------|--------|---------|-------------------------------|
| 64845 | Double | 35 lbs. | 22 1/4"W x 39 1/4"H x 5 1/4"D |
| 64831 | Single | 25 lbs. | 22 1/4"W x 19 5/8"H x 5 1/4"D |



MARKER, CASSETTE CLIP

Stainless steel L/R marker slips over the edge of any cassette. Provides black L or R on film after exposure and processing. 1 lb.

69876



TRANSFER BOARD

This radiolucent transfer board promotes safe and easy patient transfers. The slippery surface permits easy placement under the patient. With minimal help, you can move the patient from bed to gurney to X-ray table. Leave the unit under the patient during the exam. Can be used in radiology, MRI or CT. 22"W x 72"L.

60182 Transfer Board

MOBILE CASSETTE HOLDER

The all metal Mobile Cassette Holder is used to hold cassettes/grids (8"x10" to 14"x17") during mobile procedures. Unit stands on a sturdy three leg base with swivel locking wheels. Finish is putty enamel. Measures 46" tall with a 16" height adjustment.

- | | |
|--------------|--|
| 62856 | Mobile Cassette Holder with L/R Tilt |
| 69294 | Mobile Cassette Holder with L/R & Up/Down Tilt |




CHART & FILM HOLDER

Smoked Plexiglas film holder. Wipes clean with a soft damp cloth. Screw holes are provided for easy mounting. 8 lbs. Inside dimensions — 15" x 18" 19"W x 15 1/2"H x 2"D

69100 Chart/Film Holder




PNEUMATIC COMPRESSION PADDLE

The Pneumatic Compression Paddle is used for guided compression during radiographic studies of the gastro-intestinal tract. The paddle is inflated beneath the patient to increase pressure in a concentrated area.

The paddle is made of Lucite. The imbedded metal ring provides quick fluoroscopic localization.

Replacement parts and a wall hanger are available.

- 5000 Pneumatic Compression Paddle
- 5001 Replacement Bladder
- 5002 Replacement Air Inflation Bulb
- 5004 The Wall Hanger only



URETERAL COMPRESSION DEVICE

The Ureteral Compression Device is used in excretory urography. The belt fits around the waist of the patient so that he may be repositioned quickly for studies at any angle. The belt is 65" long and the plastic plate is sewn into the belt for easy handling.

- 5005 Ureteral Compression Device

Replacement parts:


- 5002 Air Inflation Bulb
- 5013 Balloons with covers, pair;
(includes tubing to the connector)
- 5017 Belt with plastic plate sewn in (65")



MULTI-STRAP

Multi-Strap is a Velcro strap that has the soft side of Velcro and the Hook side of Velcro affixed back to back. It is as strong as tape but soft to the skin. It is also reusable, radiolucent, and easily applied. It can be cut to any length.

- 6022 Multi-Strap 30' roll x 1 1/2" wide
- 6023 Multi-Strap 30' roll x 3" wide
- 6025 Multi-Strap 30' roll x 5" wide




RADI-CRADLE

This device provides total infant restraint and reduces the number of retakes caused by patient movement. Once the child is positioned in the cradle with soft cotton straps, the rest of the positioning can be done by moving the cradle, not the infant.

The Radi-Cradle accommodates a child 1-3 years old or up to 60lbs. It is constructed of high impact resistant acrylic and comes with 4 soft cotton straps with Velcro. Available in two lengths.

- 4018 Pediatric Radiography Cradle, 36"
- 4019 Pediatric Radiography Cradle, 48"



PEDI-POSITIONER

Secures the child comfortably. Reduces number of retakes due to patient movement. All the straps are washable. Includes: 36" Acrylic Board, Foam Head Rest, Body Strap, 4 Velcro Ankle/Wrist Straps, 1 Head Strap.

- 4000 Pedi-Positioner System



COMFORT CUSHION

The Comfort Cushion offers relief to patients with back pain during long procedures. It is ideal for Special Studies, Cardiac Cath, EP, and Endoscopy Labs. Can be used under the neck, shoulders, lower back, knees or heels. Eliminates the awkward use of rolled up towels or pillows.

Consists of a 1/2" thick thermal foam pad on top of a 10" x 14" inflatable bladder. The bladder is enclosed in a waterproof nylon cover. An inflator bulb attached to 24" of tubing allows inflation without disturbing the sterile drapes on the patient or table. Will inflate as much as 6" high. Can be cleaned with disinfectant after each use.

- 5310 The Comfort Cushion



AUTO-TRACTION STRAPS

The Auto-Traction Straps are for use during cervical studies, especially C-7. When the patient extends his legs he applies equal traction on each arm.

The straps are made of 2" wide seatbelt webbing.

6019



DELUXE AUTO-TRACTION STRAPS

The Deluxe Auto-Traction Straps are perfect for geriatric patients whose arms or wrists cannot take the strain of regular auto-traction straps. These straps are the most comfortable and effective method of achieving traction on both shoulders.

The straps feature soft shoulder pads and an acrylic foot plate. The strap is made of 2" wide seatbelt webbing. Velcro closures along the length of the webbing make any length possible.



When the patient extends her legs against the foot plate traction is applied evenly to each shoulder.

6020



GRABBER BRACKETS

Our Grabber Brackets will fit any table. They are made of stainless steel and will accommodate any of our 5" wide straps. They are easy to use, quick on and off.


7005 Grabber Bracket, 1 pair



GRABBER SYSTEM

Includes the Unibody Strap and a pair of Grabber Brackets.

7015 Grabber System



ADJUSTABLE SCATTER SHIELD

Provides lower extremity protection from scatter radiation to personnel in close proximity to the x-ray tube, especially during lateral head studies.

The shield system moves with the table for uniform, continuous protection during the case. The shield can be easily draped.

It easily mounts on any table that has a side rail. The system features a turn knob that makes for quick adjustments and removal.



This shield is made of 0.5 mm Pb and is vinyl covered. Measures 24" wide by 32" long, but can be made longer to fit your specific needs. Width cannot be varied.

The shield can be adjusted up to 6" above the side rail height and can swing 180° along the table. The attachment device is constructed of stainless steel.

8055 Adjustable Scatter Shield

MOBILE BARRIERS

CLEAR Pb MOBILE BARRIER

Manufactured with large, shatter-resistant Clear Pb leaded acrylic panels which provide a wide field of vision for one or more users. Opaque lower panels are covered in beige vinyl.



Lead Equiv.	Clear Section Size	Overall Barrier Size			
		24" x 84"	36" x 84"	48" x 84"	All Clear
0.5mm	24" x 36"	68472			
0.5mm	24" x 48"	68454			
0.5mm	36" x 48"		68429		
0.5mm	36" x 60"		68446		
0.5mm	36" x 72"		68450		
0.5mm	36" x 84"				68469
0.5mm	48" x 48"			68477	
0.5mm	48" x 60"			68452	
1.0mm	24" x 36"	68456			
1.0mm	24" x 48"	68437			
1.0mm	36" x 48"		68447		
1.0mm	36" x 60"		68455		
1.0mm	36" x 72"		68460		
1.0mm	36" x 84"				68333
1.0mm	48" x 48"			68433	
1.0mm	48" x 60"			68478	
1.0mm	48" x 72"			68457	
1.0mm	48" x 84"				68466
1.0mm	72" x 96"				68402
1.5mm	24" x 36"	68458			
1.5mm	24" x 48"	68435			
1.5mm	36" x 48"		68443		
1.5mm	36" x 60"		68439		
1.5mm	36" x 72"		68462		
1.5mm	36" x 84"				68336
1.5mm	48" x 48"			68436	
1.5mm	48" x 60"			68475	
1.5mm	48" x 72"			68453	
1.5mm	48" x 84"				68465

MOBILE BARRIER

1.5mm protection throughout. Beige vinyl covering. Lead glass window factory installed.

Dimensions	Glass	Catalog No.
24" x 72"	8" x 10"	63101
24" x 84"	8" x 10"	64101
30" x 72"	8" x 10"	60101
30" x 84"	8" x 10"	61101
36" x 72"	10" x 12"	65101
36" x 84"	10" x 12"	66101



Motor Freight



ADJUSTABLE MOBILE SHIELD

Excellent for patient protection during diagnostic procedures such as erect chest and cervical spine. Includes a durable nylon covered 0.5mm shield. Height adjustable 36" – 60". Rolls on a sturdy star-leg aluminum base for extra stability and easy movement. NO COLOR CHOICE.

		W	L
62531	Shield	24"	24"
62532	"	24"	36"
62533	"	24"	48"



CASSETTE TRANSFER CABINET

Available lead-lined or unlined. Compartments will accommodate up to 14" x 17" cassettes. Voice transmission is standard. Cabinets are not fire rated.

Overall Body Size: 22-1/4"W x 22-1/4"H x 20-1/4"D

Options:

Automatic Interlock locks the opposing door when either the inside or outside door is opened.

Signalite is an indicator light on the darkroom side that lights when a cassette is placed in the pass box. This alerts the darkroom attendant that an exposed cassette/film is waiting.

The Rough in Frame, while not required, makes the installation less tedious or time consuming and also results in a cleaner installation.

Opposing Wall Trim is used on the darkroom side of the installed cabinet to provide a more finished appearance and to help seal any small light leaks.

Wall Supports are used on the darkroom side to support the weight of the cabinet that projects into the darkroom.

60110	Unlined 140 lb./63.5 kg
61110	1.5 mm 200 lb./90.5 kg
62110	3.0 mm 250lb./113.5 kg

OPTIONAL ACCESSORIES:

60095	Automatic Interlock
60058	Signalite
62972	Rough In Frame
60990	Opposing Wall Trim
61982	Wall Supports
60960	Replacement handle for manual model
60007	Replacement pull handle for automatic model
60961	Handle & hardware assembly



Manual interlock shown

CONTROL BOOTHS

CONTROL BOOTH

Easy to design, order and install. Send your booth layout requirements to us. All steel trim and braces are included. Vision panels of lead glass or leaded acrylic (Clear Pb) of any size may be chosen — if they are full width of the panel they will run to the top. If the vision panels are less than full width a minimum 6" border on all sides is required. All panels are covered in beige vinyl and are lined with 1.5mm lead. Choose either leaded glass or Clear Pb leaded acrylic from the chart on following page.

65283	Panels up to 2' x 7'
65284	" 3' x 7'
65285	" 4' x 7'

63285	Factory prep for glass
63299	Factory prep for Clear Pb



Motor Freight



GLASS, CLEAR Pb & FRAME

1.9mm lead protective glass is light amber color, and mirror polished.


Clear Pb lead acrylic is available in 2 lead equivalents. Sizes available as shown. Sorry, we do not factory cut. Can be cut in the field with little difficulty. Crating charge applies to sizes 12 square feet and larger.

1.5mm lead-lined steel telescopic frames are available in sizes to accommodate lead glass or acrylic. Fabricated of 18G steel and painted beige. Voice transmission is standard. For rough opening add 1/2" to width and 1-1/4" to height.

Size	Leaded Glass	CLEAR Pb, Leaded Acrylic		Frame
	1.9mm	0.5mm	1.5mm	1.5mm
8" x 10"*	69120			
10" x 12"*	60121			67315
12" x 12"*	61121	69406	69463	64516
12" x 16"*	60120			65516
14" x 18"*	65121			68538
16" x 24"	64121			66516
18" x 24"	64120	69408	69465	69848
24" x 24"	67120	69410	69467	67516
24" x 30"	68120	69411	69468	68128
24" x 36"	68121	69412	69469	69823
24" x 48"	67121	69413	69470	67316
32" x 40"	69121	69414	69471	67312
36" x 36"	64123			68539
36" x 48"	61123	**69415	**69472	67359
36" x 60"	63123	**69416	**69473	68543
36" x 72"	65122	**69417	**69474	67347
36" x 84"	65123	**69418	**69475	69064
36" x 96"	66123			68126
48" x 48"	60119	**69419	**69476	68540
48" x 60"	66122	**69420	**69477	69847
48" x 72"	60133	**69421	**69478	67358
48" x 84"	60134	**69422	**69479	69824
48" x 96"	60139	**69423	**69480	67317
72" x 96"		**69424	**69481	68541



**NOTE: 69620 Crating charge applies



P.O. Box 36 • 95 Monarch Street • Littlestown, PA 17340, USA • PH: 888.422.7729 • FAX: 717.359.9109

TrueLite, Cost Cruncher, Earthsafe and Econotank are registered trademarks of Bar-Ray Products, Inc.

© Bar-Ray Products 2005